

Putting Water Where it Counts![®]



CETA[®]
Pressure Compensating Emitter

antelco.com

CETA® Pressure Compensating Emitter

A take apart pressure compensating dripper incorporating a turbulent flow path and diaphragm for uniform flow rates over a wide range of operating pressures.

Features

- Low manufacturing coefficient of variation (Cv) provides high performance (conforms to ISO 9261).
- Take apart for easy inspection and cleaning.
- Self-flushing cleaning action at low pressure.
- Insect baffle to minimize risk of blockages.
- Barbed Outlet range includes either 0.12" or 0.16" barbed outlets.
- Spike & In-Line Spike models to anchor CETA® at the plant.



Applications

Pots, planter boxes, balcony patio and landscape applications.



CETA® PC Spike with 0.16" Inlet

CETA® PC In-Line Spike with 0.16" Inlet



CETA® PC 1/2 gph Inlet 0.16" with 0.12" or 0.16" Outlet

CETA® PC 1 gph Inlet 0.16" with 0.12" or 0.16" Outlet

CETA® PC 2 gph Inlet 0.16" with 0.12" or 0.16" Outlet

Performance Chart

Pressure (psi)	Flow (gph)		
	1/2 gph	1 gph	2 gph
5	0.41	0.76	1.47
10	0.51	0.92	1.80
15	0.54	1.00	2.08
20	0.57	1.07	2.08
25	0.59	1.12	2.11
30	0.61	1.15	2.13
35	0.61	1.17	2.14
40	0.61	1.16	2.13
45	0.60	1.15	2.11
50	0.59	1.13	2.07

Ordering Information - CETA® PC Spike

Base type	Part Number	Pack Quantity	Packs Per Carton	Carton (lbs)	
Spike 1/2 gph	30615	25	40	13.4	NEW
Spike 1 gph	30625	25	40	13.4	
Spike 2 gph	30635	25	40	13.4	NEW
In-Line Spike 1/2 gph	30645	25	40	14.4	NEW
In-Line Spike 1 gph	30655	25	40	14.4	
In-Line Spike 2 gph	30665	25	40	14.4	NEW

Ordering Information - CETA® PC with 0.12" Barb Outlet

Flow	Part Number	Pack Quantity	Packs Per Carton	Carton (lbs)
1/2 gph Red Base	30515	100	50	24.3
1 gph Black Base	30525	100	50	24.3
2 gph Green Base	30535	100	50	24.3

Ordering Information - CETA® PC with 0.16" Barb Outlet

Flow	Part Number	Pack Quantity	Packs Per Carton	Carton (lbs)
1/2 gph Red Base	30545	100	50	24.3
1 gph Black Base	30555	100	50	24.3
2 gph Green Base	30565	100	50	24.3

Specifications

		CETA® PC with 0.12" & 0.16" barb outlet	CETA® PC Spike/In-Line Spike
UV STABILIZED MATERIAL	BASE/SPIKE CAP DIAPHRAGM ADAPTER	polypropylene polypropylene silicone rubber acetal	polypropylene polypropylene silicone rubber
CONNECTION TYPE:	INLET OUTLET	barb 0.16" barb 0.12" or 0.16"	barb 0.16" spout 0.16"



CETA® Pressure Compensating Emitter

A take apart pressure compensating dripper incorporating a turbulent flow path and diaphragm for uniform flow rates over a wide range of operating pressures.

Features

- Low manufacturing coefficient of variation (Cv) provides high performance (conforms to ISO 9261).
- Three color coded flow rates: 1/2 gph (Red), 1 gph (Black) & 2 gph (Green).
- Large clog resistant turbulent flow path.
- The CETA® dripper is able to be taken apart for inspection and cleaning.
- Anti-insect baffle to deter insect entry.
- Constructed of high quality UV and chemical resistant materials.




Applications

Vineyards, orchards, row crops and landscape.

Performance Chart

Pressure (psi)	Flow (gph)		
	1/2 gph	1 gph	2 gph
5	0.41	0.76	1.47
10	0.51	0.92	1.80
15	0.54	1.00	2.08
20	0.57	1.07	2.08
25	0.59	1.12	2.11
30	0.61	1.15	2.13
35	0.61	1.17	2.14
40	0.61	1.16	2.13
45	0.60	1.15	2.11
50	0.59	1.13	2.07

Flow Rate



Ordering Information - CETA® PC

Flow	Part Number	Pack Quantity	Packs Per Carton	Carton (lbs)
1/2 gph Red Base	30425	100	50	15.6
1 gph Black Base	30445	100	50	15.6
2 gph Green Base	30485	100	50	15.6

Specifications

UV STABILIZED MATERIAL	BASE CAP DIAPHRAGM	polypropylene polypropylene silicone rubber
CONNECTION TYPE:	INLET OUTLET	barb 0.16" spout 0.16"



CETA® PC 1/2 gph Barb 0.16"



CETA® PC 1 gph Barb 0.16"



CETA® PC 2 gph Barb 0.16"

Antelco Group of Companies

LINCOLN
— Est. 1959 —
MOULDING THE FUTURE

ANTELCO®

Dawn



Antelco Australia
Antelco Pty Ltd ABN 50 008 062 708
Sales & Marketing,
Orders & Warehouse
Research & Development
PO Box 95, 131 Tolley Rd,
St Agnes SA 5097 Australia
+61 8 8334 4333
adelaide@antelco.com.au

Antelco USA
Antelco Corporation
Sales & Marketing,
Orders & Warehouse
886 Waterway Pl,
Longwood,
Florida 32750 USA
+1 407 331 0699
info@antelco.com

Antelco Europe
Antelco UK Limited
Sales & Marketing,
Orders & Warehouse
17a Chartmoor Rd,
Leighton Buzzard,
Bedfordshire LU7 4WG UK
+44 152 585 9990
orders@antelco.co.uk